



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 01-JAN-25 to 25-FEB-25

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

Weekly Report for period 01-JAN-25 to 25-FEB-25

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 8			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	07/01	14/01	21/01	28/01	04/02	11/02	18/02	25/02	2025	2024	2023			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)								1	1	6	3	1	1.1	0.9
Hepatitis B (unspecified)	13	9	9	14	8	10	15	14	92	72	66	47	35.4	1.3
Hepatitis C (newly acquired)	2	3		2	2	1		1	11	23	15	4	7.7	0.5
Hepatitis C (re-infection newly acquired)				1					1	2	0	0	0.5	0.0
Hepatitis C (unspecified)	11	9	12	20	17	16	25	17	127	105	136	75	66.6	1.1
Hepatitis D			1		1			1	3	4	1	2	0.5	3.8
<b>Enteric diseases</b>														
Campylobacteriosis	108	99	98	81	83	74	72	42	657	813	910	271	316.5	0.9
Cholera						1			1	0	0	1	0.0	0.0
Cryptosporidiosis	25	22	20	35	50	73	59	42	326	112	40	224	52.9	4.2
Hepatitis A	1				2			1	4	5	3	3	1.4	2.1
Listeriosis		1			1				2	0	1	1	0.3	3.0
Paratyphoid fever				2	1				3	0	6	1	0.6	1.7
Rotavirus	13	9	12	8	9	7	2	1	61	128	217	19	47.3	0.4
STEC/VTEC infection	7	3	2	2	5	2	1	2	24	49	68	10	19.1	0.5
Salmonellosis	30	34	30	36	33	38	29	13	243	257	336	113	145.3	0.8
Shigellosis	12	15	18	15	16	9	4	1	90	78	84	30	26.0	1.2
Typhoid	1		1		3	1	1		7	3	8	5	1.7	2.9
Vibrio parahaemolyticus		1				1	1		3	7	2	2	1.1	1.9
Yersiniosis	2	3	3	3	3	5	3	1	23	8	21	12	4.3	2.8
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	218	305	279	222	254	266	255	158	1957	2130	2090	933	976.8	1.0
Gonorrhoea	98	123	103	103	99	92	99	46	763	886	684	336	316.0	1.1
Syphilis - Infectious	15	17	15	11	16	13	9	9	105	106	123	47	61.6	0.8
Syphilis - Non-Infectious	1	5	3	4	1	3	3		20	36	34	7	18.9	0.4
<b>Vaccine preventable diseases</b>														
Diphtheria			1		1				2	0	1	1	0.1	15.0
Influenza	242	345	251	237	329	361	404	209	2378	1005	786	1303	276.9	4.7
Measles					1				1	0	0	1	0.4	2.5
Mumps	1	1	1						3	2	0	0	0.7	0.0
Pertussis	64	57	48	34	30	31	24	6	294	46	7	91	12.7	7.2
Pneumococcal infection	5	2	2	1	2	1			13	18	23	3	9.3	0.3
Varicella (chicken pox)	13	11	15	5	13	9	11		77	63	63	33	33.0	1.0
Varicella (shingles)	46	52	58	46	52	53	29	8	344	385	434	142	209.3	0.7
Varicella (unspecified)	53	51	54	57	61	63	57	34	430	400	394	215	172.8	1.2
<b>Vector-borne diseases</b>														
Barmah Forest virus					1	1	1		3	3	5	3	2.1	1.4
Chikungunya			1		1				2	2	4	1	1.0	1.0
Dengue fever	14	24	13	12	20	13	6	1	103	61	29	40	13.3	3.0
Malaria				1	1		1		3	10	11	2	3.9	0.5
Murray Valley encephalitis virus				1	1				2	0	1	1	0.1	7.5
Ross River virus	9	8	6	4	4	3	8		42	67	43	15	53.7	0.3
Typhus			2	1	1				4	6	3	1	2.3	0.4
<b>Zoonotic diseases</b>														
Q Fever		1							1	0	1	0	0.3	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis	3			1					4	5	1	0	1.1	0.0
Creutzfeldt-Jakob disease									0	1	1	0	0.3	0.0
Legionellosis	1		1	1	2				5	10	8	2	3.8	0.5
Leprosy		1	1						2	0	0	0	0.0	0.0
Melioidosis	1								1	2	1	0	0.5	0.0
Meningococcal infection				1		1			2	0	1	1	0.7	1.4
Monkeypox virus	4	4	1		1				10	0	0	1	0.1	15.0
RSV	72	56	58	52	64	74	79	43	498	313	265	260	150.1	1.7
Tuberculosis	3	5	5	3	6	6	3	3	34	21	12	18	11.3	1.6
iGAS	7	5	4	4	3	4	2	1	30	36	33	10	8.9	1.1
<b>Grand Total</b>	<b>1095</b>	<b>1281</b>	<b>1128</b>	<b>1020</b>	<b>1198</b>	<b>1232</b>	<b>1203</b>	<b>655</b>						

**METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])**

Disease Category/Disease	Week Ending								Cumulative Total to end of week 8			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	07/01	14/01	21/01	28/01	04/02	11/02	18/02	25/02	2025	2024	2023			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)								1	1	5	1	1	0.7	1.4
Hepatitis B (unspecified)	12	9	8	13	7	9	10	11	79	58	54	37	28.5	1.3
Hepatitis C (newly acquired)	1	3			2	1		1	8	18	13	4	6.6	0.6
Hepatitis C (unspecified)	7	6	11	16	16	10	20	11	97	72	104	57	48.6	1.2
Hepatitis D			1		1			1	3	4	1	2	0.5	3.8
<b>Enteric diseases</b>														
Campylobacteriosis	88	88	79	64	67	64	60	32	542	641	726	223	252.6	0.9
Cholera						1			1	0	0	1	0.0	0.0
Cryptosporidiosis	21	18	14	32	45	65	51	36	282	94	22	197	44.5	4.4
Hepatitis A	1				2			1	4	4	3	3	1.3	2.4
Listeriosis		1			1				2	0	1	1	0.2	5.0
Paratyphoid fever				2	1				3	0	5	1	0.5	1.9
Rotavirus	11	9	11	7	8	7	2	1	56	118	198	18	42.4	0.4
STEC/VTEC infection	3		1		3	2		1	10	27	40	6	12.5	0.5
Salmonellosis	24	21	25	26	24	30	19	9	178	193	263	82	109.5	0.7
Shigellosis	10	10	14	11	15	8	2		70	63	67	25	17.2	1.5
Typhoid	1		1		3	1	1	1	7	3	8	5	1.5	3.3
Vibrio parahaemolyticus		1				1	1		3	6	2	2	1.0	2.0
Yersiniosis	2	3	3	3	3	5	3	1	23	7	16	12	3.5	3.4
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	169	239	214	170	182	211	212	118	1515	1664	1650	723	769.6	0.9
Gonorrhoea	64	85	74	63	71	69	78	37	541	654	498	255	220.5	1.2
Syphilis - Infectious	11	15	10	9	7	10	6	7	75	68	74	30	37.8	0.8
Syphilis - Non-Infectious		5	1	2	1	2	2		13	16	20	5	12.7	0.4
<b>Vaccine preventable diseases</b>														
Diphtheria									0	0	1	0	0.1	0.0
Influenza	211	306	224	196	256	211	216	117	1737	821	588	800	208.8	3.8
Measles					1				1	0	0	1	0.4	2.5
Mumps	1	1							2	1	0	0	0.5	0.0
Pertussis	42	38	27	27	21	24	19	6	204	25	7	70	8.4	8.3
Pneumococcal infection	1	1	1		1				4	10	15	1	4.9	0.2
Varicella (chicken pox)	10	6	11	3	9	8	8		55	52	52	25	24.7	1.0
Varicella (shingles)	30	37	40	28	28	33	17	5	218	258	286	83	142.2	0.6
Varicella (unspecified)	52	51	51	55	60	60	53	31	413	383	377	204	165.7	1.2
<b>Vector-borne diseases</b>														
Barmah Forest virus					1	1	1		3	2	2	3	0.4	7.5
Chikungunya			1						1	2	4	0	0.7	0.0
Dengue fever	12	18	10	11	15	10	4	1	81	47	22	30	9.8	3.1
Malaria				1	1				2	8	9	1	3.2	0.3
Ross River virus	5	5	3	3	2	3	2		23	20	18	7	29.9	0.2
Typhus			1	1					2	2	2	0	1.1	0.0
<b>Zoonotic diseases</b>														
Q Fever		1							1	0	1	0	0.1	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulon	2								2	5	0	0	0.4	0.0
Legionellosis					2				2	7	7	2	2.6	0.8
Leprosy		1							1	0	0	0	0.0	0.0
Melioidosis	1								1	1	0	0	0.1	0.0
Meningococcal infection				1		1			2	0	1	1	0.4	2.5
Monkeypox virus	4	4	1		1				10	0	0	1	0.0	0.0
RSV	49	30	39	35	53	65	63	32	366	228	183	213	97.3	2.2
Tuberculosis	3	5	5	2	6	6	3	2	32	17	11	17	9.9	1.7
iGAS	4	2	3	2	2	1		1	15	23	24	4	5.5	0.7
<b>Grand Total</b>	<b>852</b>	<b>1019</b>	<b>884</b>	<b>783</b>	<b>918</b>	<b>919</b>	<b>853</b>	<b>463</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)	1	1							
Hepatitis B (unspecified)	1	8 (9)		3	11 (13)		7	18 (16)	
Hepatitis C (newly acquired)		1 (2)		1	3 (2)			(5)	
Hepatitis C (re-infection newly acquired)									
Hepatitis C (unspecified)	1	12 (7)		2	19 (18)		8	26 (14)	
Hepatitis D	1	1						1 (3)	
<b>Enteric diseases</b>									
Campylobacteriosis	11	68 (96)		11	72 (99)		10	83 (98)	
Cholera		1							
Cryptosporidiosis	11	82 (25)		11	59 (9)		14	56 (24)	
Hepatitis A					1 (1)		1	2 (1)	
Listeriosis		1							
Paratyphoid fever								1	
Rotavirus		8 (12)		1	8 (25)			2 (24)	
STEC/VTEC infection		2 (6)		1	1 (5)			3 (3)	
Salmonellosis	4	26 (45)		3	32 (26)		2	24 (29)	
Shigellosis		9 (14)			8 (8)			8 (18)	
Typhoid		(1)			3			2	
Vibrio parahaemolyticus		(1)			2 (1)				
Yersiniosis		6 (1)			4 (3)		1	2	
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	35	242 (270)		38	226 (255)		45	255 (349)	
Gonorrhoea	8	70 (93)		7	67 (90)		22	118 (142)	
Syphilis - Infectious	3	6 (11)			11 (12)		4	13 (18)	
Syphilis - Non-Infectious		4 (1)			(3)			1 (7)	
<b>Vaccine preventable diseases</b>									
Diphtheria									
Influenza	35	296 (174)		35	250 (91)		47	254 (136)	
Measles					1				
Mumps									
Pertussis	3	31 (3)		2	20 (6)		1	19 (9)	
Pneumococcal infection		1 (2)			(1)			(2)	
Varicella (chicken pox)		6 (17)			3 (6)			16 (7)	
Varicella (shingles)	2	29 (50)		2	26 (33)		1	28 (42)	
Varicella (unspecified)	13	76 (62)		9	66 (66)		9	62 (73)	
<b>Vector-borne diseases</b>									
Barmah Forest virus		2			1				
Chikungunya									
Dengue fever	1	14 (8)			6 (10)			10 (7)	
Malaria								1 (4)	
Murray Valley encephalitis virus									
Ross River virus		2 (2)			3 (7)			2 (2)	
Typhus					(2)				
<b>Zoonotic diseases</b>									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)								(2)	
Legionellosis		2							
Leprosy									
Melioidosis									
Meningococcal infection					1				
Monkeypox virus								1	
RSV	11	77 (65)		9	57 (27)		12	79 (29)	
Tuberculosis		5		1	4 (5)		1	8 (5)	
iGAS	1	2 (4)			2 (5)			(5)	
<b>Grand Total</b>	<b>142</b>	<b>1091 (981)</b>		<b>136</b>	<b>967 (829)</b>		<b>185</b>	<b>1095 *****</b>	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	2	2 (2)			1				
Hepatitis C (newly acquired)					(1)				
Hepatitis C (re-infection newly acquired)									
Hepatitis C (unspecified)		2 (7)		1	4 (2)			1 (2)	
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	8	22 (36)			8 (8)			8 (15)	
Cholera									
Cryptosporidiosis	2	8 (4)			2 (2)			2 (1)	
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		1 (1)							
STEC/VTEC infection		1 (2)						(2)	
Salmonellosis	1	4 (13)			4 (1)		1	3 (4)	
Shigellosis							1	1	
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	6	53 (49)		1	6 (22)		4	15 (23)	
Gonorrhoea	2	12 (10)						5 (7)	
Syphilis - Infectious		2 (2)			(2)				
Syphilis - Non-Infectious									
<b>Vaccine preventable diseases</b>									
Diphtheria									
Influenza	9	50 (28)		2	11 (17)		2	5 (5)	
Measles									
Mumps									
Pertussis		8 (5)			1			1 (2)	
Pneumococcal infection		(1)							
Varicella (chicken pox)		1 (1)			2 (3)			1	
Varicella (shingles)	3	29 (39)			7 (10)			5 (6)	
Varicella (unspecified)					1			5 (1)	
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Chikungunya									
Dengue fever		2 (1)			1 (2)			1	
Malaria									
Murray Valley encephalitis virus									
Ross River virus		4 (9)			(2)			2 (1)	
Typhus					1				
<b>Zoonotic diseases</b>									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Legionellosis									
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV		8 (5)			1			1 (1)	
Tuberculosis									
iGAS		(1)							
<b>Grand Total</b>	<b>33</b>	<b>209 (216)</b>		<b>4</b>	<b>50 (72)</b>		<b>8</b>	<b>56 (70)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1 (1)			3 (2)				
Hepatitis C (newly acquired)									
Hepatitis C (re-infection newly acquired)									
Hepatitis C (unspecified)	2	5 (1)			1 (3)		2	2 (3)	
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis		2 (7)			2 (5)		2	3 (4)	
Cholera									
Cryptosporidiosis	1	7					1	3	
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		(1)			(1)				
STEC/VTEC infection	1	1 (2)						(1)	
Salmonellosis		6 (2)			1 (3)		2	10 (4)	
Shigellosis		1 (4)			1			(2)	
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	4	20 (18)		3	28 (33)		7	32 (47)	
Gonorrhoea	1	5 (8)		3	31 (30)			8 (14)	
Syphilis - Infectious		2 (3)			2 (2)		1	2 (6)	
Syphilis - Non-Infectious		(1)			(3)			1 (2)	
<b>Vaccine preventable diseases</b>									
Diphtheria								1	
Influenza	3	14 (7)		1	4 (4)		20	62 (10)	
Measles									
Mumps									
Pertussis					2 (7)			3	
Pneumococcal infection					(1)				
Varicella (chicken pox)		1						2 (2)	
Varicella (shingles)		4 (3)			6 (3)			4 (3)	
Varicella (unspecified)	3	3 (3)			1			1	
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Chikungunya									
Dengue fever					(1)			1 (1)	
Malaria					1				
Murray Valley encephalitis virus									
Ross River virus		1							
Typhus									
<b>Zoonotic diseases</b>									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Legionellosis									
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	1	6 (3)			2 (2)		2	9 (5)	
Tuberculosis									
iGAS		1			2			(1)	
<b>Grand Total</b>	<b>16</b>	<b>80 (64)</b>		<b>7</b>	<b>87 (100)</b>		<b>37</b>	<b>144 (105)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				1	1 (3)	0.0
Hepatitis B (unspecified)	1	2 (1)		14	47 (43)	0.0
Hepatitis C (newly acquired)				1	4 (13)	0.0
Hepatitis C (re-infection newly acquired)				0	0 (1)	0.0
Hepatitis C (unspecified)		1 (1)		17	75 (58)	0.0
Hepatitis D				1	2 (3)	0.0
<b>Enteric diseases</b>						
Campylobacteriosis		1 (8)		42	271 (381)	0.0
Cholera				0	1 (0)	0.0
Cryptosporidiosis	2	5		42	224 (66)	0.0
Hepatitis A				1	3 (2)	0.0
Listeriosis				0	1 (0)	0.0
Paratyphoid fever				0	1 (0)	0.0
Rotavirus				1	19 (64)	0.0
STEC/VTEC infection		1 (2)		2	10 (23)	0.0
Salmonellosis		3 (8)		13	113 (137)	0.0
Shigellosis		2 (2)		1	30 (50)	0.0
Typhoid				0	5 (1)	0.0
Vibrio parahaemolyticus				0	2 (4)	0.0
Yersiniosis				1	12 (5)	0.0
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	9	38 (63)		158	933*****	0.0
Gonorrhoea	3	18 (55)		46	336 (457)	0.0
Syphilis - Infectious	1	9 (4)		9	47 (63)	0.0
Syphilis - Non-Infectious				0	7 (21)	0.0
<b>Vaccine preventable diseases</b>						
Diphtheria				0	1 (0)	0.0
Influenza	49	332 (8)		209	1303 (494)	0.0
Measles				0	1 (0)	0.0
Mumps				0	0 (2)	0.0
Pertussis		6		6	91 (32)	0.0
Pneumococcal infection		2 (1)		0	3 (10)	0.0
Varicella (chicken pox)				0	33 (36)	0.0
Varicella (shingles)		2 (3)		8	142 (198)	0.0
Varicella (unspecified)				34	215 (207)	0.0
<b>Vector-borne diseases</b>						
Barmah Forest virus				0	3 (0)	0.0
Chikungunya		1		0	1 (2)	0.0
Dengue fever		1		1	40 (33)	0.0
Malaria				0	2 (6)	0.0
Murray Valley encephalitis virus				0	1 (0)	0.0
Ross River virus		1 (19)		0	15 (45)	0.0
Typhus				0	1 (2)	0.0
<b>Zoonotic diseases</b>						
Q Fever				0	0 (0)	0.0
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)				0	0 (4)	0.0
Legionellosis				0	2 (3)	0.0
Leprosy				0	0 (0)	0.0
Melioidosis				0	0 (0)	0.0
Meningococcal infection				0	1 (0)	0.0
Monkeypox virus				0	1 (0)	0.0
RSV	8	18 (29)		43	260 (170)	0.0
Tuberculosis				3	18 (16)	0.0
iGAS		3 (4)		1	10 (21)	0.0
<b>Grand Total</b>	<b>73</b>	<b>446 (208)</b>		<b>655</b>	<b>4288 (3811)</b>	

**Statewide Salmonella notifications for past 8 weeks (by date of onset[2])**

	Week Ending								Cumulative Total to end of Week 8	
	07/01	14/01	21/01	28/01	04/02	11/02	18/02	25/02	2025	2024
	<b>Salmonella Total</b>	<b>30</b>	<b>34</b>	<b>30</b>	<b>36</b>	<b>33</b>	<b>38</b>	<b>29</b>	<b>13</b>	<b>243</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen	1								1	0
Salmonella Adelaide							1		1	0
Salmonella Anatum									0	1
Salmonella Bareilly			1		2				3	1
Salmonella Bovismorbificans		1		1	1	1			4	5
Salmonella Braenderup			1						1	0
Salmonella Bredeney		1					1		2	0
Salmonella Cerro						1			1	0
Salmonella Chester		4		1	1	2			8	15
Salmonella Choleraesuis bv Decatur		1		1	1				3	2
Salmonella Corvallis							1		1	0
Salmonella Eastbourne				1					1	1
Salmonella Emek				1					1	0
Salmonella Enteritidis	4	3	2	2	8	3	2		24	22
Salmonella Havana						1			1	0
Salmonella Heidelberg			1	1					2	1
Salmonella Hessarek		1							1	1
Salmonella Hindmarsh					1				1	0
Salmonella Hvittingfoss			1		3				4	2
Salmonella Infantis	1		1	1	2	1	1		7	10
Salmonella Irumu						1			1	0
Salmonella Johannesburg		1		1					2	4
Salmonella Kentucky	2	1	1				1		5	4
Salmonella Kiambu						1			1	1
Salmonella Lansing									0	0
Salmonella Lexington					1				1	0
Salmonella Mississippi						1			1	0
Salmonella Muenchen		1			2		1		4	6
Salmonella Muenster	1								1	0
Salmonella Newport	1				2	1	1		5	3
Salmonella Oslo							1		1	0
Salmonella Paratyphi B bv Java	1	5	3	5	3	3			20	18
Salmonella Poona									0	0
Salmonella Potsdam		1	1		1		1		4	1
Salmonella Reading				1		1	1		3	0
Salmonella Ruiru									0	0
Salmonella Saintpaul	3			1			1		5	6
Salmonella Senftenberg		1	1						2	2
Salmonella Stanley	2	1	2		1				6	1
Salmonella Thompson	1	1	1			1			4	0
Salmonella Typhimurium	4	5	2	5		14	3		33	60
Salmonella Virchow	2	3	2	5	2	1	1		16	5
Salmonella Wangata			1		1				2	0
Salmonella Weltevreden	2		1	3					6	3
Salmonella species	5	3	8	6	1	5	12	13	53	48